



PRODUCT CATALOGUE



ANSU INDUSTRIAL EQUIPMENTS

Shop No. : J-12 & J-13, Juber Nagar, Opp. Krishna Complex,
Nr. Rajpipla Chowkdi, Ankleshwar - 393 001.
Dist. Bharuch (Guj.) INDIA

Email : ansuindustrialequipment@gmail.com

info@ansuindia.com

Web : www.ansuindia.com

PALLET TRUCK



Ansud. Hyd. Pallet Truck
Model : AS-HOPT 25/20/10
Capacity : 2500 / 2000 / 1000
Overall Width : 520 / 685
Fork Length : 1150 / 1220



Ansud. Hyd. High Lift
Model : AS-HHL 10
Capacity : 1000
Overall Width : 520 / 680
Fork Length : 1150 / 1220



Ansud. Hyd. Electric Pallet Truck
Model : AS-ETL 20
Capacity : 2000
Overall Width : 550 / 650 / 685
Fork Length : 1150 / 1220



Ansud. Hyd. Reel Carrier Truck
Model : AS-RCT-10
Capacity : 1000
Overall Width : 700 - 1200
Fork Length : 1150



Ansud. Hyd. Semi Electric Pallet Truck
Model : AS-HSEPT
Capacity : 1500 / 1000
Overall Width : 520 / 550 / 680
Fork Length : 1150 / 1220



Ansud. Hyd. Pallet Truck With Scale
Model : AS-HOPT 20 Scale
Capacity : 2000
Overall Width : 568 / 703
Fork Length : 1150 / 1220



Ansud. Hyd. Pallet Truck With Scale
Model : AS-HOPT SS 20 Scale
Capacity : 2000
Overall Width : 540 / 570 / 705
Fork Length : 1150



Ansud. Hyd. Galvanized Pallet Truck
Model : AS-HGPT - 25/20/15/10
Capacity : 2500/2000/15000/1000
Overall Width : 520/550/685
Fork Length : 1150/1220



Ansud. Battery Power Pallet Truck
Model : AS-HBPPT
Capacity : 2000
Overall Width : 520 / 550 / 650 / 685
Fork Length : 1150 / 1220

STACKER



Ansu Hyd. Stacker

Model : AS-HS 10 / 15
Capacity : 1500 / 1000
Lift Height : 1.5 / 2.5 / 3.0 mtr.
Overall Width : 740 / 550
Fork Length : 900 / 1150



Ansu Hyd. Wide Stacker

Model : AS-HWS 10
Capacity : 1000
Lift Height : 1.5 / 2.5 mtr.
Overall Width : 740 / 550
Fork Length : 900 / 1150



Ansu Hyd. Semi Electric Stacker

Model : AS-SES 10
Capacity : 1000
Lift Height : 1.5 / 2.5 / 3.0 mtr.
Overall Width : 570 / 640
Fork Length : 900 / 1150



Ansu Hyd. Fully Electric Stacker

Model : AS-HFES 1216/1230/1232/1236
Capacity : 1000 / 1500
Lift Height : 2800 / 3200 / 3600 / 4000 / 4600
Overall Width : 890
Fork Length : 900 / 1150



Ansu Hyd. Electric Reach Stacker

Model : AS-HERS 10 / 12 / 15
Capacity : 1000 / 1250 / 1500
Lift Height : 2.0 / 3.0 / 4.0 / 5.0 / 5.5 mtr.
Overall Width : 1100 / 1200
Fork Length : 950 / 1150



Ansu Hyd. B.P. Double Pallet Lifting Stacker

Model : AS-HBPDPLS 10/15
Capacity : 1000 / 1500
Lift Height : Upto 3500 mm
Overall Width : 780
Fork Length : 830

DRUM TROLLEY



Ansu 3 Wheel Drum Carrier

Model : AS-WDC
Capacity : 300 KG.



Ansu Hyd. Drum Lifter Auto Gripper

Model : AS-HDLMG
Capacity : 400 KG.



Ansu Hyd. Drum Lifter Mech Gripper

Model : AS-HDLAG
Capacity : 400 KG.



Ansu Mech. Drum Tilter

Model : AS-MDT
Capacity : 300 KG.
Lift Height : 450 mm



Ansu Hyd. Drum Pallet Stacker

Model : AS-HDPS
Capacity : 400 KG.
Lift Height : 200 mm



Ansu Hyd. Drum Lifter Cum Tilter

Model : AS-HDLCT
Capacity : 400 KG.
Lift Height : 1.5 / 2.0 / 2.5 / 3.0 mtr.

SCISSOR TABLE



Ansu Hyd. Scissor Table

Model : AS-HST 30/50/75/100
Capacity : 300/500/750/1000 KG.



Ansu Electric Scissor Table

Model : AS-EST
Capacity : 300 / 500 KG.



Ansu Hyd. AC / DC Scissor Table

Model : AS-HST
Capacity : Upto 6000 KG.
Lift Height : Upto 6.0 mtr.



Ansu Low Profile Scissor Table

Model : AS-HFT-u
Capacity : 500 Kg. to 2 Ton
Lift Height : Upto 1.0 mtr.
Closed Height: 80 mm



Ansu Semi Electric Scissor Table

Model : AS-SJY
Capacity : 300 Kg. to 1 Ton.
Lift Height : 6.0 mtr. to 18 mtr.



Ansu Self Propelled Scissor Table

Model : AS-FSJY
Capacity : Upto 500 KG.
Lift Height : Upto 6.0 mtr. to 18 mtr.



Ansu Single Mast Aerial Platform

Model : AS-SMAP
Capacity : 125 KG.
Lift Height : 8.0 / 10.0 mtr.



Ansu Double / Multi Mast Aerial Platform

Model : AS-DMAP
Capacity : 300 KG.
Lift Height : Upto 24 mtr.



Ansu Hyd. AC Dock Leveler


Model : AS-HADL
Capacity : Upto 16 Ton
Lift Height : Up 350 mm / Down 250 mm

OTHER USEFUL EQUIPMENTS




Ansu Chain Pulley Block

Model : AS-CPB
Capacity : Upto 30 Ton.




Ansu Mono Rail Trolley

Model : AS-MRT
Capacity : Upto 30 Ton.



Ansu Electric Chain Hoist

Model : AS-ECH
Capacity : Upto 25 Ton.



Ansu Hyd. Low Height Jack & Cylinder

Model : AS-HLHJC
Capacity : Upto 200 Ton.



Ansu Hydraulic Floor Crain

Model : AS-HFC
Capacity : Upto 3 Ton.



Ansu Platform Trolley

Model : AS-PT
Capacity : 150 / 300 Kg.



Ansu Sack Truck

Model : AS-ST
Capacity : 250 KG.



Ansu Heavy Duty Racking

Model : AS-JL-BM
Capacity : Upto 3.0 Ton / Layer




Ansu Electric Platform Truck

Model : AS-EPT
Capacity : Upto 4 Ton.

OTHER USEFUL EQUIPMENTS



**2 Wheeled Barrow
(6 cft.)**



**2 Wheeled Barrow
(4 cft.)**



**2 Wheeled (Heavy Duty)
Barrow (6 cft.)**



**Sack Barrow (Angle Frame)
Cap. 250 kg.**



**Double Wheeled Double Gas
Cylinder Trolley**



**Single Gas
Cylinder Trolley**



**Plastic Trolley With
Plastic Container**



**4 Wheeled Slopping Platform
Trolley**



**Sack barrow (pipe Frame)
Cap. 250 Kg.**



**Platform Trolley
(Capacity Upto 6 Tones)**



**Single Upright Push
Platform Trolley (1 Ton)**



**4 Wheeled Box Trolley With Side Drop
Drop Arrangement
(Capacity upto 3 Tons)**


OTHER USEFUL EQUIPMENTS



Gantry Crane
(Cap. upto 5000 Kgs)



Hydraulic Loading Platform



**High Pressure Jet
Cleaning Pump**




Electric Hoist




Drum Tumbler




**Double Side Cylinder
Hydraulic Loading Platform**



Bobbin Trolley




Doffing Trolley



Doffing Trolley



**Hydraulic Beam Trolley
With Reed Frame**



Empty Beam Trolley



Batch Puller

CASTERS SERIES



RD SERIES



LIGHT DUTY PRESS STEEL CASTER



CARD CANE



RG WITH ROD



DX SERIES



DXM SERIES



DX TWIN WHEEL SERIES



PRESS STEEL CASTOR HEAVY DUTY HOLLOW TYPE



RG SERIES



RG WITH BREAK



MS FABRICATED




HIT FORGED CASTOR



HEAVY DUTY FORGED CASTOR WITH THRUST BEARING



HSC2 SERIES



HSC2/TW SERIES



M.S. FABRICATED HEAVY DUTY CASTOR



UHMW WHEEL 2"-12"



NYLON PPCP WHEEL 2"-12"




RED POLYMER WHEEL 4"-12"



BLACK POLYMER WHEEL 6"-12"



RB WHEEL 3"-16"



CT WHEEL 4"-16"




FIBRE WHEEL 1 1/2 TO 12"



FIBRE CI BONDED 3"-12"



PU NYLON WHEEL




PU CI BONDED WHEEL



ROLLERS (38 TO 63 CM)




TRANSFER UNITS 1/2" TO 1/2"




UHMW STEERING & LOAD WHEEL




PU STEERING & LOAD WHEEL




P.U. CI TAILOR MADE DRIVE AND SUPPORT WHEEL




CI (VG) WHEEL



CI (SQG) WHEEL



CI (FLG) WHEEL



V TRACK

SQUARE TRACK

FLANGE TRACK

ALUMINUM & FIBREGLASS LADDERS



Aluminium Single Ladder

Design No. 10 SSL.

SPECIFICATIONS SIDES


Channel Section of size 2 5/8" X 1 1/4" Approx

RUNGS

1" Dia Non-slip Corrugated Tubing At 10" Centre

HEIGHT AVAILABLE

5' (1.52) TO 30' (9.11)



Aluminium Single Ladder (With Flat Steps)

Design No. 12 SSL.

SPECIFICATIONS SIDES


Channel Section of size 2 5/8" X 1 1/4" Approx

RUNGS

2.5/8" X 1.1/4" 12" Centre to Centre

HEIGHT AVAILABLE

5' (1.52) TO 30' (9.11)



Aluminium Folding Baby Ladder (With Flat Steps)

Design No. 154 SFBL.

SPECIFICATIONS SIDES


Channel Section of size 3.07" X 1.18" Approx

RUNGS

1.38" X 1.18" Rectangular Tube

HEIGHT AVAILABLE

3' (0.09) TO 8' (2.43)



Aluminium Wall Extension Ladder

Made from High Tensile Aluminium Alloys

Design No. 21 SM.

SPECIFICATIONS SIDES


Channel Section of size 2 5/8" X 1 1/4" Approx

RUNGS

1" Dia Non-slip Corrugated Tubing At 10" Centre

HEIGHT AVAILABLE

8' (2.43) TO 55' (16.76)



Aluminium Folding Factory Ladder (Heavy Duty)

Made from High Tensile Aluminium Alloys

Design No. 152 SFFL.

SPECIFICATIONS SIDES


Channel Section 2 5/8" X 1 1/4" Approx

RUNGS

2.5/8" X 1.1/4" 12" Centre to Centre

HEIGHT AVAILABLE

4' (1.22) TO 20' (6.08)



Aluminium Self Supporting Platform Ladder

Made from High Tensile Aluminium Alloys

Design No. 23 SSPL.

SPECIFICATIONS SIDES


Channel Section 2 5/8" X 1 1/4" Approx

RUNGS

1" Dia Non-slip Corrugated Tubing At 10" Centre

HEIGHT AVAILABLE

6' (1.82) TO 20' (6.08)



Aluminium Trolley Step Ladder

Made from High Tensile Aluminium Alloys

Design No. 108 STSL.

SPECIFICATIONS SIDES

2.5/8" X 1 1/4" Approx

RUNGS

2.5/8" X 1.1/4" Approx

HEIGHT AVAILABLE

6' (1.82) TO 18' (5.47)



Scaffolding ERP Tower



Light Weight Aluminium Scaffolding Tower



FRP Ladder Heights Available 3ft. to 20 ft.

ALUMINUM & FIBREGLASS LADDERS



Aluminium Telescopic Tower Ladder

Made from High Tensile Aluminium Alloys

Design No. 102 STWL.

SPECIFICATIONS

SIDES

"C"
2.5/8" X 1.1/4"

RUNGS

1" Dia Non-slip Corrugated Tubing At 10" Centre to Centre

HEIGHT AVAILABLE

8' (2.43) TO 55' (16.76)



Aluminium Self Supporting Extension Ladder

Made from High Tensile Aluminium Alloys

Design No. 20 SSSE.

SPECIFICATIONS

SIDES

Channel Section
2.5/3" X 1.1/4" Approx

RUNGS

1" Dia Non-slip Corrugated Tubing At 10" Centre

HEIGHT AVAILABLE

10' (3.04) TO 40' (12.15)



Aluminium Telescopic Tower Ladder

Made from High Tensile Aluminium Alloys

Design No. 103 STWL.

SPECIFICATIONS

SIDES


"C" Section
2.5/8 X 1.1/4"

RUNGS

1" Dia Non-slip Corrugated Tubing At 10" Centre to Centre

HEIGHT AVAILABLE

8' (2.43) TO 54' (16.40)



Aluminium Tower ladder (Square Type)

Made from High Tensile Aluminium Alloys

Design No. 101

SPECIFICATIONS

SIDES


2.5/8" X 1.1/4"

RUNGS

1" Dia Non-slip Corrugated Tubing At 10" Centre to Centre

HEIGHT AVAILABLE

10' (3.04) TO 50' (15.19)



Aluminium Tilting Tower Ladder Square Type

Made from High Tensile Aluminium Alloys

Design No. 106 STTL

SPECIFICATIONS

SIDES


"C" Section 2.5/8" X 1 1/4"

RUNGS

1" Dia Non-slip Corrugated Tubing At 10" Centre to Centre

HEIGHT AVAILABLE

8' (2.43) TO 54' (16.40)



Aluminium Jeep Tower Ladder

Made from High Tensile Aluminium Alloys

Design No. 107 SJTL

SPECIFICATIONS

SIDES


"C" Section 2.5/8" X 1 1/4"

RUNGS

1" Dia Non-slip Corrugated Tubing At 12" Centre to Centre

HEIGHT AVAILABLE

8' (2.43) TO 54' (16.40)



Aluminium Tower Ladder

Design No. 105 STWL

SPECIFICATIONS

SIDES


2 5/8" X 1 1/4" C Section

RUNGS

1" Dia Non-slip Corrugated Tubing At 12" Centre to Centre

HEIGHT AVAILABLE

10' (3.04) TO 50' (15.19)



CLOSE HEIGHT & EXTENDABLE HEIGHT CHART

WHEN
CLOSED
FT. (Mtrs.)

WHEN
EXTENDED
FT. (Mtrs.)

WHEN
CLOSED
FT. (Mtrs.)

WHEN
EXTENDED
FT. (Mtrs.)

8' (2.43)
10' (3.04)
12' (3.65)
14' (4.25)
16' (4.86)
18' (5.47)
20' (6.08)
20' (6.08)

12'/14' (3.65/4.25)
18' (5.47)
20' (6.08)
24'/25' (7.29/7.59)
28' (8.51)
32' (10.63)
50' (15.19)

24' (7.29)
26' (7.92)
28' (8.51)

40' (12.19)
44' (13.41)
50' (15.19)

Note : Tailor made sizes are available as per your Specific Requirement



ANSU INDUSTRIAL EQUIPMENTS

Shop No. : J-12 &J-13, Juber Nagar,
Opp. Krishna Complex,
Nr. Rajpipla Chowkdi, Ankleshwar - 393 001.
Dist. Bharuch (Guj.) INDIA
Contact : +91 90998 25572 / +91 72279 55673

Email : ansuindustrialequipment@gmail.com
info@ansuindia.com

Web : www.ansuindia.com